



智能照明



Smart is Modular's most versatile range of architectural lighting. Available in a diverse variety of forms, sizes, colours and mounting options, it's the ideal downlight to mix and match – in order to create nearly limitless combinations for any application.

VIRTUALLY LIMITLESS COMBINATIONS

If you aim to accentuate luminaires themselves as distinctive design elements, you can choose from surface and suspended mounting options. For a more discreet, integrated effect, recessed installations are also possible. Install Smart on walls with direct light up and/or down. Square masks in identical or contrasting colours can help you emphasise light-shaping designs even further. In other words: the combinations are limitless.

INTELLIGENT DESIGN, WARM LIGHT

Achieve the same mellow, comfortable effect as halogen lighting with eco-friendly and energy-efficient LEDs when Smart spotlights are dimmed. Ensure that your space is as visually comfortable as possible with this small but mighty evolution. After all, the beauty is in the details.

INDEX

p332	Smart cake
p346	Smart kup
p368	Smart lotis
p394-397 (foldout)	Smart combinations

SUPERMODULAR.COM/EN/SMART-CAKE
SUPERMODULAR.COM/EN/SMART-KUP
SUPERMODULAR.COM/EN/SMART-LOTIS



SMART KUP ADJUSTABLE
LES CAVES DE BORDEAUX, KNOKE (BE)
LIEVEN MUSSCHOOT

Smart



SMART LOTIS (ADJUSTABLE)
PARC BROEKHUIZEN, LEERSUM (NL)
JUDITHVANMOURIK | INTERIOR ARCHITECTURE



FIXED & ADJUSTABLE / 3 DESIGNS

Smart



SMART KUP 48



SMART KUP 82



SMART KUP 115

Smart



4 SIZES



SMART LOTIS WITH SMART MASK
MERCATU, REEUWIJK (NL)
MCK ARCHITECTUUR



SMART MASK

Smart



SMART LOTIS ADJUSTABLE WITH SMART SURFACE BOX
ARTODONTICS, FRANKFURT (DE)
FELIX HARTZ, ARCHITEKTURBÜRO MACK & CO.



SMART SURFACE BOX

Smart



SMART LOTIS ADJUSTABLE WITH SMART SURFACE TUBED
BDO RAAN, KNOCKE (BE)





SMART CAKE WITH SMART TUBED WALL SMALL
PRIVATE RESIDENCE, CHARLEROI (BE)




SMART TUBED WALL



SMART LOTIS 82 ADJUSTABLE
PRIVATE RESIDENCE, KORTRIJK (BE)

LED GE

Smart lotis 82 adjustable LED GE



1X LED ARRAY INCL. 9.2W

! CAN BE COMBINED WITH:
SMART MASK
SMART SURFACE BOX
SMART SURFACE TUBED
SMART SURFACE TUBED SUSPENSION
SMART TUBED WALL
! 3500K ON REQUEST

Friends of hue

350mA

IP20

GWT

0.65KG

	2700K / CRI90+		3000K / CRI90+		4000K / CRI90+	
	25°	40°	25°	40°	25°	40°
black struc	13310132	13310232	13311132	13311232	13312132	13312232
gold	13310146	13310246	13311146	13311246	13312146	13312246
white struc	13310109	13310209	13311109	13311209	13312109	13312209

LUMINAIRE OUTPUT & POWER CONSUMPTION
(25° white struc)

	350mA	500mA
2700K / 25°	525lm 6.3W	682lm 9.2W
3000K / 25°	552lm 6.3W	717lm 9.2W
4000K / 25°	589lm 6.3W	765lm 9.2W

DRIVER SEE DRIVER MATRIX

SMART COMBINATIONS SEE FOLDOUT PAGE 394-397

CONNECTED *WHEN CONNECTED TO 1-10V DRIVER


13190030	MODULAR CONNECTED 1-10V WHITE COMPONENT
70000152	HUE DIMMER SWITCH
70000615	HUE TAP SWITCH
70008054	HUE SENSOR
70000616	HUE BRIDGE EU
70000617	HUE BRIDGE UK

INSTALLATION

10889830	CONBOX 190X192X130X256
12290830	GYPKIT 190X190 - Ø76
12500230	SMART RECESSED RING 82

LED GE WARM DIM

Smart lotis 82 adjustable LED warm dim GE



1X LED ARRAY INCL. 6W

! CAN BE COMBINED WITH:
SMART MASK
SMART SURFACE BOX GE
SMART SURFACE TUBED GE
SMART SURFACE TUBED SUSPENSION GE

Friends of hue

350mA

IP20

GWT

0.65KG

	2000K - 3000K / CRI90+	
	25°	40°
black struc	13313132	13313232
gold	13313146	13313246
white struc	13313109	13313209

LUMINAIRE OUTPUT & POWER CONSUMPTION
(25° white struc)

	350mA
3000K / 25°	498lm 6W

DRIVER SEE DRIVER MATRIX

SMART COMBINATIONS SEE FOLDOUT PAGE 394-397

CONNECTED *WHEN CONNECTED TO 1-10V DRIVER

13190030	MODULAR CONNECTED 1-10V WHITE COMPONENT
70000152	HUE DIMMER SWITCH
70000615	HUE TAP SWITCH
70008054	HUE SENSOR
70000616	HUE BRIDGE EU
70000617	HUE BRIDGE UK

INSTALLATION

10889830	CONBOX 190X192X130X256
12290830	GYPKIT 190X190 - Ø76
12500230	SMART RECESSED RING 82



SMART LOTIS 160 WITH SMART MASK
BONTINCK ARCHITECTURE AND ENGINEERING N.V. GENT (BE)

Smart lotis



SMART LOTIS ADJUSTABLE WITH SMART SURFACE BOX
ARTODONTICS, FRANKFURT (DE)
FELIX HARTZ, ARCHITEKTURBÜRO MACK & CO.



SMART LOTIS ADJUSTABLE
PARC BROEKHUIZEN, LEERSUM (NL)
JUDITHVANMOURIK | INTERIOR ARCHITECTURE

Smart lotis



SMART LOTIS WITH SMART SURFACE TUBED, DUELL
PRIVATE RESIDENCE, VLAARDINGEN (NL)
LINDA LAGRANDE



SMART LOTIS ADJUSTABLE WITH SMART SURFACE BOX
PRIVATE RESIDENCE, VLAARDINGEN (NL)
LINDA LAGRAN

Smart lotis



SMART LOTIS ADJUSTABLE
PETERS REDEMPTORISTEN, GENT (BE)
ARCH&TECO



SMART LOTIS
PATERS REDEMPTORISTEN, GENT (BE)
ARCH&TECO



SMART LOTIS ADJUSTABLE WITH SMART SURFACE TUBED SUSPENSION
IMGYA CORAL VILLAGE, OKINAWA (JP)
andLIGHT



SMART LOTIS WITH SMART SURFACE TUBED
RESTAURANT LA PAIX, REIMS (FR)
APO ARCHITECTES

Smart lotis



SMART LOTIS WITH SMART SURFACE TUBED
BOO RAAN, KNOCKE (BE)



SMART LOTIS WITH SMART SURFACE TUBED SUSPENSION
RINKVEN GOLFCLUB, SCHILDE (BE)
HUB ARCHITECTEN







SMART LOTIS WITH SMART SURFACE TUBED SUSPENSION
PATERS REDEMPTORISTEN, GENT (BE)
ARCH&TECO







Smart combinations


SMART 48/48+ COMBINATIONS						
DESIGN	COLOR	FIX/ADJ.	IP-RATE	TECHNOLOGY	MASK 1X/2X 	SURFACE TUBED Ø48 
Smart cake Smart kup Smart lotis		fix	IP20 IP54	LED		
Smart asy lotis		fix	IP20 IP54	LED		

SMART 82 COMBINATIONS											
DESIGN	COLOR	FIX/ADJ.	IP-RATE	TECHNOLOGY	MASK 1X/2X 	SURFACE BOX GI 1X/2X 	SURFACE BOX GE 1X/2X 	SURFACE TUBED Ø82 S GE 	SURFACE TUBED Ø82 L GI 	SURFACE TUBED Ø82 L GE 	SURFACE TUBED Ø82 XL GI 
Smart cake Smart kup Smart lotis		fix	IP20 IP54 ⁽²⁾	LED							
				LED warm dim							
			IP20	GU10							
				GU10 for tube/box ⁽¹⁾							
		adj.	IP20	LED							
				LED warm dim							

SMART 82 COMBINATIONS											
DESIGN	COLOR	FIX/ADJ.	IP-RATE	TECHNOLOGY	SURFACE TUBED SUSPENSION Ø82 L GI 	SURFACE TUBED SUSPENSION Ø82 XL GI 	SURFACE TUBED WALL Ø82 S GE 	SURFACE TUBED WALL Ø82 L GI 	SURFACE TUBED WALL Ø82 L GE 	SURFACE TUBED WALL Ø82 XL GE 	SURFACE TUBED WALL Ø82 XL GI 
Smart cake Smart kup Smart lotis		fix	IP20	LED							
				LED warm dim							
				GU10							
				GU10 for tube/box ⁽¹⁾							
		adj.	IP20	LED							
				LED warm dim							

⁽¹⁾ When retrofitting Smart with Hue technology, note that only Hue Ambiance GU10 lamps (70000621) fit in Smart tubes and boxes
⁽²⁾ Only combination with Smart surface tubed is IP54

SMART 115 COMBINATIONS									
DESIGN	COLOR	FIX/ADJ.	IP-RATE	TECHNOLOGY	MASK 1X/2X 	SURFACE BOX GI 1X/2X 	SURFACE BOX GE 1X/2X 	SURFACE TUBED Ø115 GI 	SURFACE TUBED SUSPENSION Ø115 GI 
Smart cake Smart kup Smart lotis	   	fix	IP54 ⁽²⁾	LED					
		adj.	IP20	LED					
				LED warm dim					
				GU10					

SMART 160 COMBINATIONS					
DESIGN	COLOR	FIX/ADJ.	IP-RATE	TECHNOLOGY	MASK 1X 
Smart cake Smart kup Smart lotis	 	fix	IP54	LED	

Smart combinations

SMART MASK					
		48	82	115	160
1x	black struc	13350032	12500032	12810032	13040032
1x	gold	13350046	12500046	12810046	
1x	white struc	13350009	12500009	12810009	13040009
2x	black struc	13350132	12500132	12810132	
2x	gold	13350146	12500146	12810146	
2x	white struc	13350109	12500109	12810109	

SMART SURFACE BOX 82					
		GE	GI		
			TRAILING EDGE DIMMABLE	1-10V/PUSHDIM	DALI
1x LED	black struc	12516032	12514032	12514132	12514232
1x LED	white struc	12516009	12514009	12514109	12514209
2x LED	black struc	12516132	12515032	12515132	12515232
2x LED	white struc	12516109	12515009	12515109	12515209

! DO NOT FORGET TO ORDER SMART MASK

SMART SURFACE BOX 115					
		GE	GI		
			TRAILING EDGE DIMMABLE	1-10V/PUSHDIM	DALI
1x LED	black struc	12802032	12800032	12800132	12800232
1x LED	white struc	12802009	12800009	12800109	12800209
2x LED	black struc	12802132	12801032	12801132	12801232
2x LED	white struc	12802109	12801009	12801109	12801209

! DO NOT FORGET TO ORDER SMART MASK

SMART SURFACE TUBED 48 GE	
black struc	12900032
white struc	12900009


SMART SURFACE TUBED 82						
	GE		GI			
	SMALL	LARGE	LARGE	X-LARGE		
			NOT DIMMABLE	TRAILING EDGE DIMMABLE	1-10V/PUSHDIM	DALI
black struc	12841032	12845032	12844032	12843032	12843132	12843232
brushed alu	12841024	12845024	12844024	12843024	12843124	12843224
white struc	12841009	12845009	12844009	12843009	12843109	12843209

SMART SURFACE TUBED 115 GI			
	TRAILING EDGE DIMMABLE	1-10V/PUSHDIM	DALI
black struc	13140132	13140232	13140332
brushed alu	13140124	13140224	13140324
white struc	13140109	13140209	13140309

SMART SURFACE TUBED SUSPENSION 82 GI				
	LARGE		X-LARGE	
	NOT DIMMABLE	TRAILING EDGE DIMMABLE	1-10V/PUSHDIM	DALI
black struc	12842032	12842232	12842332	12842432
brushed alu	12842024	12842224	12842324	12842424
white struc	12842009	12842209	12842309	12842409

SMART SURFACE TUBED SUSPENSION 115 GI			
	TRAILING EDGE DIMMABLE	1-10V/PUSHDIM	DALI
black struc	13141132	13141232	13141332
brushed alu	13141124	13141224	13141324
white struc	13141109	13141209	13141309

SMART TUBED WALL 82							
		GE			GI		
		SMALL	LARGE	X-LARGE	LARGE	X-LARGE	
					NOT DIMMABLE	TRAILING EDGE DIMMABLE	1-10V/PUSHDIM DALI
1x LED	black struc	12846632	12846432	12846032	12846532	12846132	12846232 12846332
1x LED	white struc	12846609	12846409	12846009	12846509	12846109	12846209 12846309
2x LED	black struc			12846732			
2x LED	white struc			12846709			



SMART MASK



SMART MASK



SMART SURFACE BOX WITH SMART MASK



SMART SURFACE TUBED



SMART TUBED WALL



SMART SURFACE TUBED SUSPENSION