

# Venetian blinds™

with Intelligent Tilt Alignment<sub>™</sub>







# Introducing Venetian Blinds with Intelligent Tilt Alignment...

Lutron Venetian blinds provide independent control of blind height and slat angle, putting a new *tilt* on the timeless look of this traditional window covering.

Superior functionality is revolutionising the category of automated horizontal blinds. Now you can have optimal privacy, while still preserving your view and controlling the amount of sunlight in a space.

- Set your favourite blind height and tilt angle for the slats (called a preset) blinds will automatically adjust to that height and tilt angle with the touch of a button.
- You can also set more than one preset, giving you a range of options for automatically adjusting blinds.
- Intelligent Tilt Alignment ensures that the slat angle between adjacent blinds remains within 1.59 mm (1/16th of an inch) of each other for a clean look.









For more information on Venetian blinds, visit www.lutron.com/venetians.

## **Control Options**

Venetian blinds are available for Sivoia® QS and Sivoia QS Wireless. We offer a number of control options, as shown here.





Home Control App for iPad<sub>®</sub>, iPhone<sub>®</sub>, and iPod touch®



seeTouch keypads

Available for: Sivoia QS, Sivoia QS wireless



Pico<sub>®</sub> wireless control

Available for: Sivoia QS wireless

Additional control options not shown include tabletop keypads, GRAFIK Eye® QS wired and wireless controls, and IR remotes.

iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

Lutron 01 www.lutron.com

# Style options

## Sophisticated style options give every space a signature look.

Venetian blinds are available in a variety of slat colours and finishes:

- Elite Collection Genuine hardwoods to compliment premium wood cabinets and furniture.
- Premium Collection Painted and stained hardwoods
- Aluminium Collection Brushed and painted aluminiums Custom colour matching is available exclusively for the Elite Collection. Customers own material (COM) may be used; contact your Lutron sales representative for details.




For more information on Venetian blinds, visit www.lutron.com/venetians.



## **Valance Styles**

Add an elegant, finished look to a Venetian blind by specifying one of our four standard valance styles. This optional top treatment fits easily over the blind's brackets and headrail for a complete and seamless installation.






\*The Queen Anne valance is the only valance option for Elite Collection slats.

www.lutron.com Lutron 03

# Available tools

## World-class support makes specification simple.



**Avant Collection**<sub>™</sub> brochure P/N 367-1678/EA



Venetian binder P/N VENETIAN-BINDER



**Venetian Demo** P/N VENETIAN-DEMO-WD (shown) P/N VENETIAN-DEMO-AL (aluminium demo also available)

All marketing materials can be ordered using the shade configuration tool (SCT). PDFs are also available online at www.lutron.com under Service and Support.

For more information on Venetian blinds, visit www.lutron.com/venetians.

#### **Frequently Asked Questions**

#### What systems are compatible with Venetian blinds?

Venetian blinds are available for Sivoia® QS and Sivoia QS Wireless. To integrate Venetian blinds into a HomeWorks Illumination system, please see Application Note, available online, and contact Technical Support for details.

#### What is the standard lead time?

The standard lead time is 30 business days.

#### Do Venetians have a fire retardant (FR) rating?

Wooden blinds are not FR rated. However, it is possible to treat the material or use a non-wood material such as aluminium or a wood substitute to achieve FR rating status. Wood substitute Venetian blinds are not standard in the Lutron line, but can be sourced as a custom. For more information, please contact your Lutron sales representative.

#### What is "stack"?

Stack results when the slats of the Venetian blinds amass on top of each other when the blind is fully open, blocking the top portion of the window. To preserve the full outdoor view, simply mount the blind above the window frame, making sure to account for additional system height.

This parameter is reported in the shade configuration tool (SCT) and only includes the height of the slats and bottom rail – valance and headrail are not included in this calculation. To calculate total height from the ceiling to the base of the bottom rail, add 95.25 mm (3.75 in.) to the reported stack height.

#### System specifications

#### Wooden slats

Width range: 610-2438 mm (24-96 in.) Height range: 305-3048 mm (12-120 in.) Maximum system size: 7 sq. m (80 sq. ft.)

Slat thickness: 3.17 mm (0.125 in.)

Slat width: 50.8 mm (2 in.)

#### Aluminium slats

Width range: 610-3658 mm (24-144 in.) Height range: 305-3048 mm (12-120 in.) Maximum system size: 11 sq. m (120 sq. ft.)

Slat thickness: 0.2 mm (0.008 in.)

Slat width: 50.8 mm (2 in.)

For specification assistance, please contact your Lutron sales representative.

www.lutron.com



# WORLDWIDE HEADQUARTERS

Lutron Electronics Co., Inc. 7200 Suter Road Coopersburg, PA 18036-1299 USA

Toll-free: 1 888 LUTRON1 TEL: +1 610 282 3800 FAX: +1 610 282 1243 intsales@lutron.com

## EUROPEAN HEADQUARTERS

Lutron EA Ltd. 6 Sovereign Close London, E1W 3JF UK

FREEPHONE: 0800 282 107 TEL: +44 (0)20 7702 0657 FAX: +44 (0)20 7480 6899 lutronlondon@lutron.com

# ASIAN HEADQUARTERS

Lutron GL Ltd. #07-03 Tower Fifteen 15 Hoe Chiang Road Singapore 089316 TEL: +65 6220 4666 FAX: +65 6220 4333 lutronsea@lutron.com

#### **INTERNATIONAL OFFICES**

Brazil: São Paulo

TEL: +55 11 4327 3800

**China: Beijing** 

TEL: +86 10 5877 1818

**China: Hong Kong** TEL: +852 2104 7733

China: Shanghai

TEL: +86 21 6288 1473

France: Paris

TEL: +33 1 56 59 16 64

Germany: Berlin

TEL: +49 (0)30 971045-90

India: Bangalore

TEL: +91 80 4030 0485

**India: Mumbai** 

TEL: +91 22 4070 0867

India: Delhi

TEL: +91 124 471 1900

Italy: Milan

FREEPHONE: 800 979 208

**Japan: Minato-ku** TEL: +81 3 5575 8411

**Spain: Barcelona** TEL: +34 93 496 57 42

**Spain: Madrid** 

TEL: +34 91 567 84 79

**UAE: Dubai** 

TEL: +971 4 299 1224



